

Classroom Voting Questions: Precalculus

Evaluating Trigonometric Functions

1. $\sin 0 =$

- (a) 0
- (b) 1
- (c) -1

2. $\sin \frac{\pi}{6} =$

- (a) 0
- (b) $\frac{1}{2}$
- (c) $\frac{\sqrt{2}}{2}$
- (d) $\frac{\sqrt{3}}{2}$
- (e) 1

3. $\sin \frac{\pi}{2} =$

- (a) 0
- (b) $\frac{1}{2}$
- (c) $\frac{\sqrt{2}}{2}$
- (d) $\frac{\sqrt{3}}{2}$
- (e) 1

4. Calculate $\csc(14^\circ)$.

- (a) 4.1336
- (b) 1.0095

- (c) 0.0714
- (d) 1.0306

5. In what quadrant is the terminal side of θ if $\sin \theta < 0$ and $\tan \theta < 0$?

- (a) I
- (b) II
- (c) III
- (d) IV

6. Let $\tan \theta = \frac{1}{2}$ and $\sin \theta < 0$. What is $\cos \theta$?

- (a) $\frac{\sqrt{5}}{5}$
- (b) $-\frac{\sqrt{5}}{5}$
- (c) $\frac{2\sqrt{5}}{5}$
- (d) $\frac{-2\sqrt{5}}{5}$

7. The terminal side of θ contains the point $(-12, 5)$. What is $\sec \theta$?

- (a) $-\frac{12}{13}$
- (b) $-\frac{13}{12}$
- (c) $\frac{5}{13}$
- (d) $\frac{13}{5}$

8. Use the unit circle to find $\cos(300^\circ)$.

- (a) $\frac{1}{2}$
- (b) $-\frac{1}{2}$

- (c) $\frac{\sqrt{3}}{2}$
- (d) $-\frac{\sqrt{3}}{2}$

9. Use the unit circle to find $\tan \frac{7\pi}{6}$.

- (a) $\sqrt{3}$
- (b) $-\sqrt{3}$
- (c) $\frac{\sqrt{3}}{3}$
- (d) $-\frac{\sqrt{3}}{3}$

10. Use the unit circle to find the value of $\sin \frac{2\pi}{3}$.

- (a) 0
- (b) $\frac{1}{2}$
- (c) $\frac{\sqrt{2}}{2}$
- (d) $\frac{\sqrt{3}}{2}$
- (e) 1

11. What is the reference angle for 315° ?

- (a) 0°
- (b) 30°
- (c) 45°
- (d) 60°
- (e) 90°

12. Use the unit circle to find the value of $\cos \frac{5\pi}{6}$.

- (a) $\frac{1}{2}$

- (b) $-\frac{1}{2}$
- (c) $\frac{\sqrt{2}}{2}$
- (d) $-\frac{\sqrt{2}}{2}$
- (e) $\frac{\sqrt{3}}{2}$
- (f) $-\frac{\sqrt{3}}{2}$

13. Use trig identities to find $\csc(20^\circ)$.

- (a) $\frac{1}{\sec(20^\circ)}$
- (b) $\frac{1}{\cos(20^\circ)}$
- (c) $\sec(70^\circ)$
- (d) $\sin(70^\circ)$

14. Use trig identities to find $\cot(50^\circ)$.

- (a) $\frac{\cos(50^\circ)}{\sin(50^\circ)}$
- (b) $\tan(40^\circ)$
- (c) $\frac{1}{\tan(50^\circ)}$
- (d) all of the above

15. One end of a straight wire is attached to the top of a pole. The other end of the wire is attached to the ground d feet from the base of the pole. The wire makes an angle θ with the ground. Which expression gives the height of the pole?

- (a) $\frac{d}{\tan \theta}$
- (b) $d \tan \theta$
- (c) $\frac{d}{\tan^{-1} \theta}$
- (d) $d \tan^{-1} \theta$

16. Of the numbers below, which can be substituted for x to show that the equation $\sec x = \sqrt{1 + \tan^2 x}$ is not an identity?

(a) 0

(b) $\frac{\pi}{2}$

(c) π