

# Classroom Voting Questions: Precalculus

## The Sum, Difference, Double, and Half Angle Formulas

- $\sin(90^\circ) = \sin(30^\circ) + \sin(60^\circ)$ 
  - True, and I am very confident.
  - True, but I am not very confident.
  - False, but I am not very confident.
  - False, and I am very confident.
- $\cos(30^\circ) = \cos(90^\circ) - \cos(60^\circ)$ 
  - True, and I am very confident.
  - True, but I am not very confident.
  - False, but I am not very confident.
  - False, and I am very confident.
- $\tan(120^\circ) = \tan(90^\circ) + \tan(30^\circ)$ 
  - True, and I am very confident.
  - True, but I am not very confident.
  - False, but I am not very confident.
  - False, and I am very confident.
- Use the fact that  $60^\circ + 45^\circ = 105^\circ$  to calculate  $\cos 105^\circ$ .
  - $\frac{\sqrt{2} - \sqrt{6}}{4}$
  - $\frac{\sqrt{6} - \sqrt{2}}{4}$
  - $\frac{\sqrt{6} + \sqrt{2}}{4}$
  - $-\frac{1}{2}$

5. Use the sum and difference formulas to calculate  $\cos(57^\circ)\cos(22^\circ) - \sin(57^\circ)\sin(22^\circ)$ .

- (a)  $\cos(35^\circ)$
- (b)  $\sin(35^\circ)$
- (c)  $\cos(79^\circ)$
- (d)  $\sin(79^\circ)$

6. Use the sum and difference formulas to calculate  $\sin(44^\circ)\cos(19^\circ) - \cos(44^\circ)\sin(19^\circ)$ .

- (a)  $\cos(63^\circ)$
- (b)  $\sin(63^\circ)$
- (c)  $\cos(25^\circ)$
- (d)  $\sin(25^\circ)$

7. Suppose  $\cos \alpha = \frac{3}{5}$  and  $\sin \beta = \frac{5}{13}$ , where  $\alpha$  is in quadrant I and  $\beta$  is in quadrant II. Find  $\sin(\alpha + \beta)$ .

- (a)  $-\frac{33}{65}$
- (b)  $-\frac{56}{65}$
- (c)  $-\frac{58}{65}$
- (d) Not enough information is given.

8. Find a simpler form for  $\cos\left(\theta - \frac{3\pi}{2}\right)$ .

- (a)  $\sin \theta$
- (b)  $-\sin \theta$
- (c)  $\cos \theta$
- (d)  $-\cos \theta$

9. Use the sum and difference formulas to calculate  $\frac{\tan\left(\frac{\pi}{3}\right) - \tan\left(\frac{\pi}{4}\right)}{1 + \tan\left(\frac{\pi}{3}\right)\tan\left(\frac{\pi}{4}\right)}$ .

- (a)  $\tan\left(\frac{\pi}{12}\right)$

(b)  $\tan\left(\frac{7\pi}{12}\right)$

(c)  $\tan\left(\frac{\pi}{7}\right)$

(d)  $\tan(\pi)$

10.  $\sin(90^\circ) = 2 \sin(45^\circ)$

(a) True, and I am very confident.

(b) True, but I am not very confident.

(c) False, but I am not very confident.

(d) False, and I am very confident.

11.  $\cos(120^\circ) = 2 \cos(60^\circ)$

(a) True, and I am very confident.

(b) True, but I am not very confident.

(c) False, but I am not very confident.

(d) False, and I am very confident.

12.  $\tan(60^\circ) = 2 \tan(30^\circ)$

(a) True, and I am very confident.

(b) True, but I am not very confident.

(c) False, but I am not very confident.

(d) False, and I am very confident.

13. Using the double angle formulas,  $2 \sin(12^\circ) \cos(12^\circ) =$

(a)  $\sin(6^\circ)$

(b)  $\sin(24^\circ)$

(c)  $\cos(6^\circ)$

(d)  $\cos(24^\circ)$

14.  $\cos 2\theta =$

(a)  $2 \cos \theta$

- (b)  $2 \sin \theta \cos \theta$
- (c)  $\cos^2 \theta + \sin^2 \theta$
- (d)  $2 \cos^2 \theta - 1$

15. Using the double angle formulas,  $1 - 2 \sin^2(40^\circ) =$

- (a)  $\sin(80^\circ)$
- (b)  $\sin(20^\circ)$
- (c)  $\cos(80^\circ)$
- (d)  $\cos(20^\circ)$

16.  $\sin(30^\circ) = \frac{1}{2} \sin(60^\circ)$

- (a) True, and I am very confident.
- (b) True, but I am not very confident.
- (c) False, but I am not very confident.
- (d) False, and I am very confident.

17.  $\cos(45^\circ) = \frac{1}{2} \cos(90^\circ)$

- (a) True, and I am very confident.
- (b) True, but I am not very confident.
- (c) False, but I am not very confident.
- (d) False, and I am very confident.

18.  $\tan(90^\circ) = \frac{1}{2} \tan(180^\circ)$

- (a) True, and I am very confident.
- (b) True, but I am not very confident.
- (c) False, but I am not very confident.
- (d) False, and I am very confident.

19. Use the half angle formulas to calculate  $\sin\left(\frac{\pi}{8}\right)$ .

$$(a) \sqrt{\frac{1 - \cos\left(\frac{\pi}{8}\right)}{2}}$$

$$(b) \sqrt{\frac{1 + \cos\left(\frac{\pi}{8}\right)}{2}}$$

$$(c) \sqrt{\frac{1 - \cos\left(\frac{\pi}{4}\right)}{2}}$$

$$(d) \sqrt{\frac{1 - \cos\left(\frac{\pi}{16}\right)}{2}}$$

20. Use a half-angle formula to calculate  $\cos\left(\frac{5\pi}{8}\right)$ .

$$(a) \sqrt{\frac{1 + \cos\frac{5\pi}{16}}{2}}$$

$$(b) -\sqrt{\frac{1 + \cos\frac{5\pi}{16}}{2}}$$

$$(c) \sqrt{\frac{1 + \cos\frac{5\pi}{4}}{2}}$$

$$(d) -\sqrt{\frac{1 + \cos\frac{5\pi}{4}}{2}}$$