

Classroom Voting Questions: Calculus I

3.5 The Trigonometric Functions

1. Find a sinusoidal function to model the water level resulting from the tides if we have high tide at 2am with a water level of $W = 32$ feet, and we have a low tide at 7am with a water level of $W = 8$ feet. Let us set time $t = 0$ at midnight.

- (a) $W(t) = 8 + 32 \sin(t)$.
- (b) $W(t) = 8 + 32 \cos(t - 2)$.
- (c) $W(t) = 12 + 20 \cos(10(t - 2))$
- (d) $W(t) = 12 + 20 \cos\left(\frac{\pi}{5}(t - 2)\right)$
- (e) $W(t) = 20 + 12 \cos\left(\frac{\pi}{5}(t - 2)\right)$
- (f) $W(t) = 8 + 32 \cos\left(\frac{\pi}{5}(t - 2)\right)$
- (g) $W(t) = 20 + 12 \cos(20(t - 2))$
- (h) None of the above

2. $\frac{d}{dx}(-3 \sin x)$ is

- (a) $\cos x$
- (b) $-3 \sin x$
- (c) $3 \cos x$
- (d) $-3 \cos x$

3. $\frac{d}{dx} \frac{\cos x}{25}$ is

- (a) $(\sin x)/25$
- (b) $-\sin x$
- (c) $(-\sin x)/25$
- (d) $(-\cos x)/25$

4. $\frac{d}{dx}(10 \sin(12x))$ is

- (a) $120 \cos(12x)$
- (b) $10 \cos(12x)$

- (c) $120 \sin(12x)$
- (d) $-120 \cos(12x)$

5. The 4th derivative of $\sin x$ is

- (a) $\sin x$
- (b) $\cos x$
- (c) $-\sin x$
- (d) $-\cos x$

6. The 10th derivative of $\sin x$ is

- (a) $\sin x$
- (b) $\cos x$
- (c) $-\sin x$
- (d) $-\cos x$

7. The 100th derivative of $\sin x$ is

- (a) $\sin x$
- (b) $\cos x$
- (c) $-\sin x$
- (d) $-\cos x$

8. The 41st derivative of $\sin x$ is

- (a) $\sin x$
- (b) $\cos x$
- (c) $-\sin x$
- (d) $-\cos x$

9. The 4th derivative of $\cos x$ is

- (a) $\sin x$
- (b) $\cos x$
- (c) $-\sin x$

(d) $-\cos x$

10. The 30th derivative of $\cos x$ is

(a) $\sin x$

(b) $\cos x$

(c) $-\sin x$

(d) $-\cos x$

11. If $f(x) = \frac{x}{\sin x}$, then $f'(x) =$

(a) $\frac{\sin x - x \cos x}{\sin^2 x}$

(b) $\frac{\sin x - x \cos x}{\cos^2 x}$

(c) $\frac{x \cos x - x \sin x}{\sin^2 x}$

(d) $\frac{\cos x - x \cos x}{\sin^2 x}$

12. $\frac{d}{dx} \sin(\cos x)$ is

(a) $-\cos x \cos(\cos x)$

(b) $-\sin x \cos(\sin x)$

(c) $-\sin x \sin(\cos x)$

(d) $-\sin x \cos(\cos x)$

13. If $f(x) = \sin x \cos x$, then $f'(x) =$

(a) $1 - 2 \sin^2 x$

(b) $2 \cos^2 x - 1$

(c) $\cos 2x$

(d) All of the above

(e) None of the above

14. If $f(x) = \tan x$, then $f'(x) =$

(a) $\sec^2 x$

(b) $\cot x$

(c) $-\cot x$

- (d) All of the above
- (e) None of the above

15. We know that $\frac{d}{dx} \sin x = \cos x$. **True or False:** $\frac{d}{dx} \sin(2x) = \cos(2x)$.

- (a) True, and I am very confident
- (b) True, but I am not very confident
- (c) False, but I am not very confident
- (d) False, and I am very confident

16. $\frac{d}{dx} (e^x \sin x)$ is

- (a) $e^x \cos x$
- (b) $e^x \sin x$
- (c) $e^x \cos x + e^x \sin x$
- (d) $e^x \sin x - e^x \cos x$

17. $\frac{d}{dx} (\sin(x^2 + 5))$ is

- (a) $\cos(x^2 + 5)$
- (b) $\sin(2x + 5)$
- (c) $2x \sin(x^2 + 5)$
- (d) $2x \cos(x^2 + 5)$

18. $\frac{d}{dx} (\sin^2(ax))$ is

- (a) $2 \sin(ax)$
- (b) $2 \cos(ax)$
- (c) $2a \sin(ax)$
- (d) $2a \sin(ax) \cos(ax)$

19. $\frac{d}{dx} (\sin x + e^{\sin x})$ is

- (a) $\cos x + e^{\cos x}$
- (b) $\cos x + e^{\sin x}$
- (c) $\cos x + e^{\sin x} \cos x$
- (d) None of the above

20. The equation of the line tangent to the graph of $\cos x$ at $x = 0$ is

- (a) $y = 1$
- (b) $y = 0$
- (c) $y = \cos x$
- (d) $y = x$

21. The equation of the line tangent to the graph of $2 \sin 3x$ at $x = \frac{\pi}{3}$ is

- (a) $y = 6x - 2\pi$
- (b) $y = 6x \cos 3x - 2\pi$
- (c) $y = -6x + 2\pi$
- (d) $y = -6x + 2\pi - 1$

22. Use linear approximation to estimate $\sin(6)$.

- (a) $\sin(6) \approx 1$
- (b) $\sin(6) \approx +0.28$
- (c) $\sin(6) \approx 0$
- (d) $\sin(6) \approx -0.28$
- (e) $\sin(6) \approx 2\pi$
- (f) $\sin(6) \approx \sin(6) - 0.28 \cos(6)$
- (g) None of the above