

Classroom Voting Questions: Calculus I

4.2 Optimization

- True or False:** If $f(x)$ is continuous on a closed interval, then it is enough to look at the points where $f'(x) = 0$ in order to find its global maxima and minima.
 - True, and I am very confident
 - True, but I am not very confident
 - False, but I am not very confident
 - False, and I am very confident

- True or False:** A function defined on all points of a closed interval always has a global maximum and a global minimum.
 - True, and I am very confident
 - True, but I am not very confident
 - False, but I am not very confident
 - False, and I am very confident

- Let f be a continuous function on the closed interval $0 \leq x \leq 1$. There exists a positive number A so that the graph of f can be drawn inside the rectangle $0 \leq x \leq 1$, $-A \leq y \leq A$.
The above statement is:
 - Always true.
 - Sometimes true.
 - Not enough information.

- Let $f(x) = x^2$. **True or False:** f has an upper bound on the interval $(0, 2)$.
 - True, and I am very confident
 - True, but I am not very confident
 - False, but I am not very confident
 - False, and I am very confident

5. Let $f(x) = x^2$. **True or False:** f has a global maximum on the interval $(0, 2)$.
- (a) True, and I am very confident
 - (b) True, but I am not very confident
 - (c) False, but I am not very confident
 - (d) False, and I am very confident
6. Let $f(x) = x^2$. **True or False:** f has a global minimum on the interval $(0, 2)$.
- (a) True, and I am very confident
 - (b) True, but I am not very confident
 - (c) False, but I am not very confident
 - (d) False, and I am very confident
7. Let $f(x) = x^2$. **True or False:** f has a global minimum on any interval $[a, b]$.
- (a) True, and I am very confident
 - (b) True, but I am not very confident
 - (c) False, but I am not very confident
 - (d) False, and I am very confident
8. Consider $f(x) = -3x^2 + 12x + 7$ on the interval $-2 \leq x \leq 4$. Where does this function have its global maximum value?
- (a) $x = -2$
 - (b) $x = 0$
 - (c) $x = 2$
 - (d) $x = 4$
9. Consider $f(x) = -3x^2 + 12x + 7$ on the interval $-2 \leq x \leq 4$. Where does this function have its global minimum value?
- (a) $x = -2$
 - (b) $x = 0$
 - (c) $x = 2$
 - (d) $x = 4$