



# MathQuest: Differential Equations

## Slope Fields and Euler's Method

1. What does the differential equation  $\frac{dy}{dx} = 2y$  tell us about the slope of the solution curves at any point?
  - (a) The slope is always 2.
  - (b) The slope is equal to the  $x$ -coordinate.
  - (c) The slope is equal to the  $y$ -coordinate.
  - (d) The slope is equal to two times the  $x$ -coordinate.
  - (e) The slope is equal to two times the  $y$ -coordinate.
  - (f) None of the above.
  
2. The slopefield below indicates that the differential equation has which form?




- (a)  $\frac{dy}{dt} = f(y)$
  - (b)  $\frac{dy}{dt} = f(t)$
  - (c)  $\frac{dy}{dt} = f(y, t)$
3. The slopefield below indicates that the differential equation has which form?




- (a)  $\frac{dy}{dt} = f(y)$
- (b)  $\frac{dy}{dt} = f(t)$
- (c)  $\frac{dy}{dt} = f(y, t)$

4. The slopefield below indicates that the differential equation has which form?




- (a)  $\frac{dy}{dt} = f(y)$
- (b)  $\frac{dy}{dt} = f(t)$
- (c)  $\frac{dy}{dt} = f(y, t)$

5. The arrows in the slope field below have slopes that match the derivative  $y'$  for a range of values of the function  $y$  and the independent variable  $t$ . Suppose that  $y(0) = 0$ . What would you predict for  $y(5)$ ?




- (a)  $y(5) \approx -3$
- (b)  $y(5) \approx +3$
- (c)  $y(5) \approx 0$
- (d)  $y(5) < -5$
- (e) None of the above

6. The arrows in the slope field below give the derivative  $y'$  for a range of values of the function  $y$  and the independent variable  $t$ . Suppose that  $y(0) = -4$ . What would you predict for  $y(5)$ ?



- (a)  $y(5) \approx -3$
- (b)  $y(5) \approx +3$
- (c)  $y(5) \approx 0$
- (d)  $y(5) < -5$
- (e) None of the above

7. The slope field below represents which of the following differential equations?







- (a)  $y' = yt$
- (b)  $y' = \frac{y}{t}$
- (c)  $y' = -yt$
- (d)  $y' = -\frac{y}{t}$


8. Consider the differential equation  $y' = ay + b$  with parameters  $a$  and  $b$ . To approximate this function using Euler's method, what difference equation would we use?

- (a)  $y_{n+1} = ay_n + b$
- (b)  $y_{n+1} = y_n + ay_n\Delta t + b\Delta t$
- (c)  $y_{n+1} = ay_n\Delta t + b\Delta t$
- (d)  $y_{n+1} = y_n\Delta t + ay_n\Delta t + b\Delta t$
- (e) None of the above

9. Which of the following is the slope field for  $dy/dx = x + y$ ?



10. Below is the slope field for  $dy/dx = y(1 - y)$ :



As  $x \rightarrow \infty$ , the solution to this differential equation that satisfies the initial condition  $y(0) = 2$  will

- (a) Increase asymptotically to  $y = 1$

- (b) Decrease asymptotically to  $y = 1$
  - (c) Increase without bound
  - (d) Decrease without bound
  - (e) Start and remain horizontal
11. Using Euler's method, we set up the difference equation  $y_{n+1} = y_n + c\Delta t$  to approximate a differential equation. What is the differential equation?
- (a)  $y' = cy$
  - (b)  $y' = c$
  - (c)  $y' = y + c$
  - (d)  $y' = y + c\Delta t$
  - (e) None of the above
12. We know that  $f(2) = -3$  and we use Euler's method to estimate that  $f(2.5) \approx -3.6$ , when in reality  $f(2.5) = -3.3$ . This means that between  $x = 2$  and  $x = 2.5$ ,
- (a)  $f(x) > 0$ .
  - (b)  $f'(x) > 0$ .
  - (c)  $f''(x) > 0$ .
  - (d)  $f'''(x) > 0$ .
  - (e) None of the above
13. We have used Euler's method and  $\Delta t = 0.5$  to approximate the solution to a differential equation with the difference equation  $y_{n+1} = y_n + 0.2$ . We know that the function  $y = 7$  when  $t = 2$ . What is our approximate value of  $y$  when  $t = 3$ ?
- (a)  $y(3) \approx 7.2$
  - (b)  $y(3) \approx 7.4$
  - (c)  $y(3) \approx 7.6$
  - (d)  $y(3) \approx 7.8$
  - (e) None of the above
14. We have used Euler's method to approximate the solution to a differential equation with the difference equation  $z_{n+1} = 1.2z_n$ . We know that the function  $z(0) = 3$ . What is the approximate value of  $z(2)$ ?

- (a)  $z(2) \approx 3.6$
- (b)  $z(2) \approx 4.32$
- (c)  $z(2) \approx 5.184$
- (d) Not enough information is given.
15. We have used Euler's method and  $\Delta t = 0.5$  to approximate the solution to a differential equation with the difference equation  $y_{n+1} = y_n + t + 0.2$ . We know that the function  $y = 7$  when  $t = 2$ . What is our approximate value of  $y$  when  $t = 3$ ?
- (a)  $y(3) \approx 7.4$
- (b)  $y(3) \approx 11.4$
- (c)  $y(3) \approx 11.9$
- (d)  $y(3) \approx 12.9$
- (e) None of the above
16. We have a differential equation for  $\frac{dx}{dt}$ , we know that  $x(0) = 5$ , and we want to know  $x(10)$ . Using Euler's method and  $\Delta t = 1$  we get the result that  $x(10) \approx 25.2$ . Next, we use Euler's method again with  $\Delta t = 0.5$  and find that  $x(10) \approx 14.7$ . Finally we use Euler's method and  $\Delta t = 0.25$ , finding that  $x(10) \approx 65.7$ . What does this mean?
- (a) These may all be correct. We need to be told which stepsize to use, otherwise we have no way to know which is the right approximation in this context.
- (b) Fewer steps means fewer opportunities for error, so  $x(10) \approx 25.2$ .
- (c) Smaller stepsize means smaller errors, so  $x(10) \approx 65.7$ .
- (d) We have no way of knowing whether any of these estimates is anywhere close to the true value of  $x(10)$ .
- (e) Results like this are impossible: We must have made an error in our calculations.
17. We have a differential equation for  $f'(x)$ , we know that  $f(12) = 0.833$ , and we want to know  $f(15)$ . Using Euler's method and  $\Delta t = 0.1$  we get the result that  $f(15) \approx 0.275$ . Next, we use  $\Delta t = 0.2$  and find that  $f(15) \approx 0.468$ . When we use  $\Delta t = 0.3$ , we get  $f(15) \approx 0.464$ . Finally, we use  $\Delta t = 0.4$  and we get  $f(15) \approx 0.462$ . What does this mean?
- (a) These results appear to be converging to  $f(15) \approx 0.46$ .
- (b) Our best estimate is  $f(15) \approx 0.275$ .
- (c) This data does not allow us to make a good estimate of  $f(15)$ .