

MathQuest: Differential Equations

Bifurcations

1. How many equilibria does the differential equation $y' = y^2 + a$ have?

- (a) Zero
- (b) One
- (c) Two
- (d) Three
- (e) Not enough information is given.

Answer: (e). The answer depends on the value of the parameter a . If a is positive, then there can be no equilibria. If a is negative then equilibria exist at $y = \pm\sqrt{-a}$.

by Carroll College MathQuest

DEQ.10.12.010

CC MP MA334 S07: 0/13/8/4/**75**

CC KC MA334 S08: 0/6/67/0/**28** time 2:00

HC AS MA304 S08: 7/15/37/0/**41**

CC KC MA334 S09: 20/20/20/0/**40** time 2:30

CC KC MA334 S10: 10/15/55/0/**20** time 2:30

CC KC MA334 S12: 0/12/57/0/**31**

HC AS MA304 S11: 0/10/38/14/**38**/0

AS DH MA3335 010 S12: 0/8/0/8/**85** time 1:50

CC KC MA334 S13: 0/5/19/5/**71**

2. A *bifurcation* occurs if the number of equilibria of a system changes when we change the value of a parameter. For the differential equation $\frac{df}{dx} = bf^2 - 2$, a bifurcation occurs at what value of b ?

- (a) $b = 0$
- (b) $b = 2$
- (c) $b = -2$
- (d) $b = 2/f^2$
- (e) Not enough information is given.

Answer: (a). If b is positive, then we will have two equilibria, $f = \sqrt{2/b}$. If b is negative then there are no equilibria. Thus the bifurcation occurs at $b = 0$.

by Carroll College MathQuest

DEQ.10.12.020

CC MP MA334 S07: **25**/4/25/42/4

CC KC MA334 S08: **33**/0/0/44/22 time 5:00

CC KC MA334 S09: **20**/8/16/48/8 time 5:00

CC KC MA334 S10: **73**/0/0/27/0 time 4:00

CC KC MA334 S12: **41**/38/12/6/3

AS DH MA3335 010 S12: **0**/0/0/92/8 time 2:00

CC KC MA334 S13: **44**/22/8/22/4 time 4:30

3. $x'(t) = \frac{1}{2}x^2 + bx + 8$. If $b = 5$ what are the equilibria of the system?

- (a) $x = -5$
- (b) $x = -3, 3$
- (c) $x = -8, -2$
- (d) No equilibria exist and all solutions are increasing.
- (e) No equilibria exist and all solutions are decreasing.

Answer: (c). Equilibria will occur at $x = -5 \pm 3$. Thus we have equilibria at $x = -8, -2$.

by Carroll College MathQuest

DEQ.10.12.030

CC MP MA334 S07: 0/0/**100**/0/0

CC KC MA334 S08: 0/0/**100**/0/0 time 1:15

CC KC MA334 S09: 0/0/**95**/5/0 time 1:30

CC KC MA334 S10: 9/0/**91**/0/0 time 3:00

CC KC MA334 S12: 8/8/**84**/0/0

AS DH MA3335 010 S12: 0/0/**100**/0/0 time 1:40

CC KC MA334 S13: 0/0/**96**/0/4 time 2:20

4. $x'(t) = \frac{1}{2}x^2 + bx + 8$. If $b = 2$ what are the equilibria of the system?

- (a) $x = -8$
- (b) $x = -2 \pm \sqrt{12}$
- (c) $x = 2$
- (d) No equilibria exist and all solutions are increasing.

(e) No equilibria exist and all solutions are decreasing.

Answer: (d). Equilibria will occur at $x = -2 \pm \sqrt{4 - 16}$, which has no real solutions. Thus if $b = 2$ there are no equilibria. For all values of x , $x' > 0$ and thus all solutions are increasing.

by Carroll College MathQuest

DEQ.10.12.040

CC MP MA334 S07: 0/0/5/**95**/0

CC KC MA334 S08: 0/0/0/**100**/0 time 1:45

CC KC MA334 S10: 0/4/0/**82**/14 time 3:00

AS DH MA3335 010 S12: 0/0/0/**54**/46 time 1:30

5. $x'(t) = \frac{1}{2}x^2 + bx + 8$. A bifurcation occurs where?

(a) $x = -b \pm \sqrt{b^2 - 16}$

(b) $b = 0$

(c) $b = \frac{1}{2}$

(d) $b = 4$

(e) $b = 8$

(f) Not enough information is given.

Answer: (d). Equilibria will occur at $x = -b \pm \sqrt{b^2 - 16}$, and this equation has real solutions if $b \geq 4$. Thus if $b < 4$ there are no equilibria, if $b = 4$ there is one equilibrium, and if $b > 4$ there are two equilibria. Note that we also have a bifurcation at $b = -4$.

by Carroll College MathQuest

DEQ.10.12.050

CC KC MA334 S08: 0/13/0/**87**/0/0 time 3:00

HC AS MA304 S08: 52/0/0/**35**/4/9

HC AS MA304 S08: 7/4/0/**86**/0/4 Review

CC KC MA334 S09: 4/8/0/**84**/4/0 time 3:45

CC KC MA334 S10: 18/0/9/**73**/0/0 time 4:00

CC KC MA334 S12: 4/15/0/**81**/0/0

AS DH MA3335 010 S12: 0/8/0/**92**/0/0 time 2:00

CC KC MA334 S13: 11/41/0/**44**/0/4 time 4:30

6. $\frac{dg}{dt} = g^3 + cg$. How many equilibria does this system have?

(a) Two

(b) One or two

- (c) One or three
- (d) Two or three
- (e) Three
- (f) Not enough information is given

Answer: (c). $g = 0$ is an equilibrium of this system for any value of c . If c is negative then two other equilibria are $g = \pm\sqrt{-c}$. If c is positive, then there are no other equilibria. Thus the system has either one or three equilibria, depending on the value of g , and a bifurcation occurs at $g = 0$.

by Carroll College MathQuest

DEQ.10.12.060

CC KC MA334 S08: 0/12/53/0/18/18 time 2:00

CC KC MA334 S09: 0/0/44/20/0/36 time 3:00


CC KC MA334 S10: 0/18/55/0/0/27 time 2:30

CC KC MA334 S12: 7/29/31/11/11/11

AS DH MA3335 010 S12: 0/25/63/13/0/0 time 2:30

CC KC MA334 S13: 0/4/96/0/0/0

7. A *bifurcation diagram* plots a system's equilibria on the y axis and the value of a parameter on the x axis. Consider the bifurcation diagram below. When our parameter is $a = 5$, what are the equilibria of the system?



- (a) $y = 0$ and $y = 3$
- (b) $y = 5$
- (c) $y = 4$ and $y = 6$
- (d) Not enough information is given.

Answer: (c). On the diagram, we find $a = 5$ on the horizontal axis, which corresponds to $y = 4$ and $y = 6$ on the vertical axis.

by Carroll College MathQuest

DEQ.10.12.070

CC MP MA334 S07: 0/0/**100**/0

CC KC MA334 S08: 0/0/**94**/6 time 1:20

CC KC MA334 S09: 0/8/**92**/0 time 1:15

CC KC MA334 S10: 0/9/**91**/0 time 2:00


CC KC MA334 S12: 0/4/**96**/0

HC AS MA304 S11: 0/9/**91**/0/0/0

AS DH MA3335 010 S12: 0/0/**92**/8 time 1:30

CC KC MA334 S13: 0/0/**100**/0 time 2:00

8. Consider the bifurcation diagram below. If our system has equilibria at $y = 1$, $y = 3$ and $y = 5$ what is the value of the parameter a ?



- (a) $a = -1$
- (b) $a = 0$
- (c) $a = 1$
- (d) $a = 3$
- (e) $a = 5$
- (f) Not enough information is given.

Answer: (d). We find $y = 1$, $y = 3$, and $y = 5$ on the vertical axis at the location where $a = 3$ on the horizontal axis.

by Carroll College MathQuest

DEQ.10.12.080


CC KC MA334 S08: 0/0/6/**94**/0/0 time 1:30

CC KC MA334 S09: 0/0/12/**88**/0/0 time 1:40

CC KC MA334 S10: 0/0/4/96/0/0 time 1:15

AS DH MA3335 010 S12: 0/0/0/100/0/0 time 1:00

9. Consider the bifurcation diagram below. At what value of a does the system have a bifurcation?



- (a) $a = 0$
- (b) $a = 2$
- (c) $a = 4$
- (d) $a = 6$
- (e) $a = 8$
- (f) Not enough information is given.

Answer: (d). For values of $a < 6$ the system has two equilibria and for values of $a > 6$ the system has no equilibria, so $a = 6$ is a bifurcation point, where the number of equilibria changes.

by Carroll College MathQuest

DEQ.10.12.090

CC KC MA334 S08: 0/0/0/100/0/0 time 0:30

HC AS MA304 S08: 0/0/0/96/0/4

CC KC MA334 S09: 0/0/4/92/0/4 time 1:30

CC KC MA334 S10: 0/0/0/82/9/9 time 1:30


CC KC MA334 S12: 0/0/0/100/0/0

HC AS MA304 S11: 0/0/5/86/0/9

AS DH MA3335 010 S12: 0/0/0/100/0 time 1:00

CC KC MA334 S13: 0/0/0/96/0/4

10. Which of the following differential equations is represented by the bifurcation diagram below?



- (a) $y' = y^2 + a$
- (b) $y' = ay^2 - 1$
- (c) $y' = ay$
- (d) $y' = y^2 + ay + 2$

Answer: (b). The equilibria of this system are equal to $y = \pm \frac{1}{\sqrt{a}}$, which corresponds to the curves plotted in the bifurcation diagram.

by Carroll College MathQuest

DEQ.10.12.100

CC KC MA334 S08: 0/77/18/6 time 3:30

CC KC MA334 S09: 4/81/4/11 time 3:30



CC KC MA334 S10: 0/55/18/27 time 3:30

CC KC MA334 S12: 4/92/0/4

AS DH MA3335 010 S12: 40/10/50/0 time 4:00

CC KC MA334 S13: 0/82/7/11 time 4:00

11. The figure on the left is a bifurcation diagram, and the figure on the right plots several solution functions of this system for one specific value of the parameter. The figure on the right corresponds to what value of the parameter?



- (a) $c = 0$
- (b) $c = 2$

(c) $c = 4$

(d) $c = 6$

(e) $c = 8$

Answer: (c). The solutions trajectories are converging from a stable equilibrium at $y \approx 1.6$ and diverging from an unstable equilibrium at $y \approx 4.5$. On the bifurcation diagram, these equilibrium values correspond to a parameter of $c = 4$.

by Carroll College MathQuest

DEQ.10.12.110

CC KC MA334 S08: 0/0/**83**/18/0 time 2:00

CC KC MA334 S09: 0/4/**85**/11/0 time 2:15

CC KC MA334 S10: 0/0/**77**/23/0 time 2:00