

## MathQuest: Series

### Geometric Series

1. What will we get if we add up the infinite series of numbers:  $16 + 8 + 4 + 2 + 1 + \frac{1}{2} + \frac{1}{4} + \frac{1}{8} + \dots$ ?
  - (a) This infinite sum will reach a number less than 32.
  - (b) This infinite sum is equal to 32.
  - (c) This infinite sum will reach a number greater than 32.
  - (d) Because we're adding up an infinite number of numbers which are all greater than zero, the sum diverges to infinity.
2. What will we get if we add up the infinite series of numbers:  $12 + 4 + \frac{4}{3} + \frac{4}{9} + \frac{4}{27} + \dots$ ?
  - (a) This infinite sum will converge to a number less than 18.
  - (b) This infinite sum is equal to 18.
  - (c) This infinite sum will converge a number between 18 and 19.
  - (d) This infinite sum will converge a number greater than 19.
  - (e) This infinite sum diverges to infinity.
3. What will we get if we add up the infinite series of numbers:  $1 - \frac{1}{2} + \frac{1}{4} - \frac{1}{8} + \frac{1}{16} + \dots$ ?
  - (a) This infinite sum will converge to  $1/2$ .
  - (b) This infinite sum will converge to  $2/3$ .
  - (c) This infinite sum will converge to 2.
  - (d) This is not a geometric series.
4. What will we get if we add up the first 10 terms in the series:  $1 - \frac{1}{2} + \frac{1}{4} - \frac{1}{8} + \frac{1}{16} + \dots$ ?
  - (a) 0.663
  - (b) 0.664
  - (c) 0.666
  - (d) 0.667
  - (e) 0.668

5. What is  $\sum_{j=1}^5 4j$ ?

- (a) 15
- (b) 20
- (c) 40
- (d) 60

6. What will we get if we add up the infinite series:  $1 + \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{5} \dots$ ?

- (a) 2
- (b) A number between 2 and 3.
- (c) A number between 3 and 4.
- (d) A number between 4 and 5.
- (e) A number between 5 and 10.
- (f) This infinite series diverges to infinity.

7. Which of the following series is not geometric?

- (a)  $\sum_{n=0}^{\infty} \frac{15}{3^n}$
- (b)  $\sum_{n=5}^{\infty} 12^{2n+4}$
- (c)  $\sum_{n=1}^{\infty} 9^{-n}$
- (d)  $\sum_{n=1}^{\infty} 4^{1/n}$
- (e)  $\sum_{n=0}^{\infty} \frac{5 \cdot 3^n}{7^{3n}}$
- (f) More than one of these is not geometric.

8. Which of the following geometric series converge?

- (a)  $\sum_{n=0}^{\infty} \frac{8}{(-2)^n}$
- (b)  $\sum_{n=5}^{\infty} 6^{3n+2}$
- (c)  $\sum_{n=1}^{\infty} (-4)^{-n}$
- (d)  $\sum_{n=0}^{\infty} \frac{6 \cdot 2^n}{6^{3n}}$
- (e) Exactly two of these converge.
- (f) Exactly three of these converge.

## Convergence Tests

9. For what values of  $p$  does the series  $\sum_{n=1}^{\infty} 1/n^p$  converge?
- (a) This series converges for all values of  $p$ .
  - (b) This series converges only if  $p > 2$ .
  - (c) This series converges only if  $p > 1$ .
  - (d) This series converges only if  $p > 0$ .
  - (e) This series does not converge for any values of  $p$ .
10. Does the series  $\sum_{n=1}^{\infty} \frac{100}{n^2+2}$  converge?
- (a) Yes, this series converges.
  - (b) No, this series does not converge.
  - (c) It is impossible to tell.
11. Does the series  $\sum_{n=1}^{\infty} \frac{\ln(n)}{n}$  converge?
- (a) This series converges.
  - (b) This series diverges.
  - (c) It is impossible to tell.
12. Does the series  $\sum_{n=1}^{\infty} \frac{n^3}{3^n}$  converge?
- (a) This series converges.
  - (b) This series diverges.
  - (c) It is impossible to tell.
13. Does the series  $\sum_{n=1}^{\infty} \frac{n!}{(2n)!}$  converge?
- (a) This series converges.
  - (b) This series diverges.
  - (c) It is impossible to tell.
14. Does the series  $\sum_{n=1}^{\infty} \frac{(-1)^n}{n}$  converge?
- (a) This series converges.
  - (b) This series diverges.
  - (c) It is impossible to tell.

## Power Series

15. Consider the power series  $\sum_{n=1}^{\infty} \frac{(x-4)^n}{4^n}$ . What values of  $x$  will make this series converge?
- (a) This series converges for all values of  $x$ .
  - (b) This series converges for all values of  $x$  between 0 and 8.
  - (c) This series converges for all values of  $x$  between -4 and 4.
  - (d) This series converges for all values of  $x$  between -8 and 0.
  - (e) This series diverges for all values of  $x$ .
16. Consider the power series  $\sum_{n=1}^{\infty} \frac{(x-4)^n}{4^n}$ . Will this series converge if  $x = 0$  or if  $x = 8$ ?
- (a) This series converges for both  $x = 0$  and  $x = 8$ .
  - (b) This series does not converge for either  $x = 0$  or  $x = 8$ .
  - (c) This series converges for  $x = 8$  but does not converge for  $x = 0$ .
  - (d) This series converges for  $x = 0$  but does not converge for  $x = 8$ .
17. Consider the power series  $\sum_{n=1}^{\infty} \frac{(3x)^n}{n^8}$ . What values of  $x$  will make this series converge?
- (a) This series converges for all values of  $x$ .
  - (b) This series converges for all values of  $x$  between -3 and 3.
  - (c) This series converges for all values of  $x$  between 0 and 3.
  - (d) This series converges for all values of  $x$  between -1/3 and 1/3.
  - (e) This series diverges for all values of  $x$ .
18. Consider the power series  $\sum_{n=1}^{\infty} \frac{(2x)^n}{n^7}$ . Will this series converge if  $x = -1/2$  or if  $x = +1/2$ ?
- (a) This series converges for both  $x = -1/2$  and  $x = +1/2$ .
  - (b) This series does not converge for either  $x = -1/2$  or  $x = +1/2$ .
  - (c) This series converges for  $x = -1/2$  but does not converge for  $x = +1/2$ .
  - (d) This series converges for  $x = +1/2$  but does not converge for  $x = -1/2$ .
19. Consider the power series  $\sum_{n=1}^{\infty} \frac{(x-8)^n}{n(-6)^n}$ . What values of  $x$  will make this series converge?

- (a) This series converges for all values of  $x$ .
- (b) This series converges for all values of  $x$  between 2 and 14.
- (c) This series converges for all values of  $x$  between -8 and 8.
- (d) This series converges for all values of  $x$  between 0 and 16.
- (e) This series diverges for all values of  $x$ .
20. Consider the power series  $\sum_{n=1}^{\infty} \frac{(x-5)^n}{n(-3)^n}$ . Will this series converge if  $x = 2$  or if  $x = 8$ ?
- (a) This series converges for both  $x = 2$  and  $x = 8$ .
- (b) This series does not converge for either  $x = 2$  or  $x = 8$ .
- (c) This series converges for  $x = 2$  but does not converge for  $x = 8$ .
- (d) This series converges for  $x = 8$  but does not converge for  $x = 2$ .
21. A power series converges when  $x = 2.5, 2.7$  and  $2.8$ , but diverges when  $x = 2.1, 2.2$  and  $2.9$ . Which of the following could be the point where the power series is centered?
- (a) 2.3
- (b) 2.6
- (c) 2.7
- (d) 2.8
- (e) All of the above are possible.
- (f) More than one but not all of the above are possible.

## Taylor Series

22. Find the Taylor series for the function  $\ln(x)$  at the point  $a = 1$ .
- (a)  $(x - 1) - \frac{1}{2}(x - 1)^2 + \frac{1}{3}(x - 1)^3 - \frac{1}{4}(x - 1)^4 + \dots$
- (b)  $(x - 1) - (x - 1)^2 + 2(x - 1)^3 - 6(x - 1)^4 + \dots$
- (c)  $\ln(x) + \frac{1}{x}(x - 1) - \frac{1}{x^2}(x - 1)^2 + \frac{2}{x^3}(x - 1)^3 - \frac{6}{x^4}(x - 1)^4 + \dots$
- (d)  $\ln(x) + \frac{1}{x}(x - 1) - \frac{1}{2x^2}(x - 1)^2 + \frac{1}{3x^3}(x - 1)^3 - \frac{1}{4x^4}(x - 1)^4 + \dots$
- (e) This is not possible.
23. If  $a = 0$ , what function is represented by the Taylor series  $1 - \frac{x^2}{2} + \frac{x^4}{24} - \frac{x^6}{720} + \dots$ ?

- (a)  $\exp(x)$
  - (b)  $\sin(x)$
  - (c)  $\cos(x)$
  - (d) This is not a Taylor series.
24. A Taylor series converges when  $x = 12, 13$  and  $15$ , but diverges when  $x = 9, 16$  and  $18$ . Which of the following could be  $a$ , the point where the Taylor series is centered?
- (a)  $a = 9$
  - (b)  $a = 11$
  - (c)  $a = 13$
  - (d)  $a = 15$
  - (e) All of the above are possible.
  - (f) None of the above are possible.
25. Suppose we find a Taylor series for the function  $f(x)$  centered at the point  $a = 5$ . Where would we expect this Taylor series to probably give us a better estimate?
- (a)  $x = 0$
  - (b)  $x = 3$
  - (c)  $x = 8$
  - (d) There is no way to tell.
26. A Taylor series for a function  $f(x)$  at  $a = 10$  has a radius of convergence of  $3$ . If we use the first  $10$  terms of this series to estimate  $f(15)$  we will probably get
- (a) an infinite result.
  - (b) a result which is closer to the real value of  $f(15)$  than if we used  $5$  terms.
  - (c) a result which is farther from the real value of  $f(15)$  than if we used  $25$  terms.
  - (d) a result which is closer to the real value of  $f(15)$  than if we used  $15$  terms.
  - (e) More than one of the above are true.
27. We are given a Taylor series for a function  $g(x)$  at  $a = -5$ , with a radius of convergence of  $6$ . Which would give the best estimate of  $g(-5)$ ?
- (a) The first term of the Taylor series.
  - (b) The first  $5$  terms of the Taylor series.
  - (c) The first  $10$  terms of the Taylor series.
  - (d) The first  $100$  terms of the Taylor series.
  - (e) All would give the same result.